

## II

(Non-legislative acts)

## REGULATIONS

**COMMISSION REGULATION (EU) No 997/2010  
of 5 November 2010****suspending the introduction into the Union of specimens of certain species of wild fauna and flora**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Council Regulation (EC) No 338/97 of 9 December 1996 on the protection of species of wild fauna and flora by regulating trade therein<sup>(1)</sup>, and in particular Article 19(2) thereof,

After consulting the Scientific Review Group,

Whereas:

(1) Article 4(6) of Regulation (EC) No 338/97 provides that the Commission may establish restrictions to the introduction of certain species into the Union in accordance with the conditions laid down in points (a) to (d) thereof. Furthermore, implementing measures for such restrictions have been laid down in Commission Regulation (EC) No 865/2006 of 4 May 2006 laying down detailed rules concerning the implementation of Council Regulation (EC) No 338/97 of the protection of species of wild fauna and flora by regulating trade therein<sup>(2)</sup>.

(2) A list of species for which the introduction into the Union is suspended was established in Commission Regulation (EC) No 359/2009 of 30 April 2009 suspending the introduction into the Union of specimens of certain species of wild fauna and flora<sup>(3)</sup>.

(3) On the basis of recent information, the Scientific Review Group has concluded that the conservation status of certain species listed in Annexes A and B to Regulation (EC) No 338/97 will be seriously jeopardised if their introduction into the Union from certain countries of origin is not suspended. The introduction of the following species should therefore be suspended:

— *Cuora amboinensis* from Vietnam;

— *Cuora galbinifrons* from Laos and Vietnam;

— *Dendrobium nobile* from Laos.

(4) The Scientific Review Group has also concluded that, on the basis of the most recent available information, the suspension of the introduction into the Union of the following species should no longer be required:

— *Ovis ammon nigrimontana* (Hunting trophies) from Kazakhstan;

— *Leucopternis occidentalis* from Ecuador and Peru;

— *Hexaprotodon liberiensis* from Côte d'Ivoire, Guinea Bissau and Sierra Leone;

— *Hippopotamus amphibius* from Democratic Republic of the Congo and Malawi;

— *Chrysocyon brachyurus* from Bolivia and Peru;

— *Eupleres goudotii*, *Fossa fossana*, *Anas bernieri*, *Mantella baroni*, *Mantella aff. baroni*, *Mantella cowanii*, *Mantella haraldmeieri*, *Mantella laevigata*, *Mantella madagascariensis*, *Mantella manery*, *Mantella nigricans* and *Mantella pulchra* from Madagascar;

— *Leopardus colocolo* and *Leopardus pajeros* from Chile;

— *Leptailurus serval* from Algeria;

— *Prionailurus bengalensis* from China (Macau);

— *Cynogale bennettii* from Brunei, China, Indonesia, Malaysia and Thailand;

— *Equus zebra hartmannae* from Angola;

— *Myrmecophaga tridactyla* from Belize and Uruguay;

— *Alouatta macconnelli* from Trinidad and Tobago;

— *Ateles paniscus*, *Chalcostigma olivaceum*, *Heliodoxa rubinoides*, *Buteo albonotatus*, *Buteo platypterus*, *Forpus xanthops*, *Pionus chalcopterus*, *Otus roboratus*, *Pseudoscops clamator*, *Pulsatrix melanota* and *Podocnemis sextuberculata* from Peru;

<sup>(1)</sup> OJ L 61, 3.3.1997, p. 1.

<sup>(2)</sup> OJ L 166, 19.6.2006, p. 1.

<sup>(3)</sup> OJ L 110, 1.5.2009, p. 3.

- *Lagothrix cana* and *Varanus yemenensis* from all range States;
- *Cebus capucinus* from Belize;
- *Cercocebus atys* from Ghana;
- *Cercopithecus ascanius* from Burundi;
- *Cercopithecus cephus* from Central African Republic;
- *Cercopithecus dryas*, *Glaucidium capense* and *Phodilus prigoginei* from Democratic Republic of the Congo;
- *Cercopithecus pogonias* and *Cercopithecus preussi* from Cameroon and Equatorial Guinea;
- *Colobus polykomos* from Côte d'Ivoire;
- *Colobus vellerosus* from Côte d'Ivoire and Ghana;
- *Macaca arctoides* from India, Malaysia and Thailand;
- *Macaca assamensis* from Nepal;
- *Macaca fascicularis* from Bangladesh and India;
- *Macaca leonina*, *Ratufa bicolor*, *Psittacula roseata* and *Strix uralensis davidi* from China;
- *Macaca maura*, *Macaca nigra*, *Macaca nigrescens*, *Macaca ochreata*, *Macaca pagensis*, *Goura cristata*, *Goura scheepmakeri*, *Goura victoria*, *Spizaetus bartelsi*, *Cacatua sanguinea*, *Lorius domicella*, *Alisterus chloropterus*, *chloropterus*, *Ectlectus roratus*, *Psittacula alexandri*, *Tanygnathus gramineus*, *Ninox rudolfi*, *Otus angelinae*, *Tyto inexpectata*, *Tyto nigrobrunnea*, *Tyto sororcula*, *Ornithoptera tithonus*, *Troides andromache* (wild and ranned specimens) and *Tridacna gigas* from Indonesia;
- *Papio anubis* from Libya;
- *Papio papio* from Guinea Bissau
- *Procolobus verus* from Benin, Côte d'Ivoire, Ghana, Sierra Leone and Togo;
- *Trachypithecus phayrei* from Cambodia, China and India;
- *Trachypithecus vetulus* from Sri Lanka;
- *Galago demidoff* from Burkina Faso and Central African Republic;
- *Galago granti* from Malawi;
- *Arctocebus aureus* from Central African Republic and Gabon;
- *Nycticebus pygmaeus* from Cambodia and Laos;
- *Chiropotes chiropotes*, *Chiropotes israelita*, *Chiropotes satanas*, *Chiropotes utahickae*, *Nannopsittaca panychlora*, *Pyrrhura leucotis*, *Touit melanotus*, *Touit surdus* and *Eunectes deschauenseei* from Brazil;
- *Ratufa affinis* and *Ketupa ketupu* from Singapore;
- *Balaeniceps rex* from Zambia;
- *Buceros rhinoceros* from Thailand;
- *Tauraco corythaix*, *Agapornis fischeri* (ranned specimens) and *Python sebae* from Mozambique;
- *Tauraco fischeri*, *Agapornis lilianae*, *Poicephalus cryptoxanthus*, *Poicephalus meyeri*, *Poicephalus rufiventris*, *Bubo vosseleri*, *Gongyllophis colubrinus* and *Stigmochelys pardalis* from Tanzania;
- *Tauraco macrorhynchus*, *Terathopius ecaudatus* and *Strix woodfordii* from Guinea;
- *Tauraco porphyreolopha* from Uganda;
- *Accipiter brachyurus*, *Tyto aurantia*, *Tyto manusi*, *Varanus bogerti* and *Varanus telenesetes* from Papua New Guinea;
- *Accipiter gundlachi* and *Aratinga euops* from Cuba;
- *Accipiter imitator* and *Nesasio solomonensis* from Papua New Guinea and Solomon Islands;
- *Buteo galapagoensis*, *Pyrrhura albipectus*, *Pyrrhura orcesi*, *Conolophus pallidus* and *Conolophus subcristatus* from Ecuador;
- *Buteo ridgwayi* from Dominican Republic and Haiti;
- *Erythrotriorchis radiatus*, *Lophoictinia isura*, *Polytelis alexandrae* and *Varanus keithhornie* from Australia;
- *Gyps coprotheres* from Mozambique, Namibia and Swaziland;
- *Harpyopsis novaeguineae* from Indonesia and Papua New Guinea;
- *Falco deiroleucus* from Belize and Guatemala;
- *Falco fasciinucha* from Botswana, Ethiopia, Kenya, Malawi, Mozambique, South Africa, Sudan, Tanzania, Zambia and Zimbabwe;
- *Falco hypoleucus* from Australia and Papua New Guinea;
- *Micrastur plumbeus* from Colombia and Ecuador;
- *Polylectron schleiermacheri* from Indonesia and Malaysia;
- *Anthropoides virgo* from Sudan;
- *Balearica regulorum* from Angola, Lesotho, Malawi, Mozambique, Namibia, Rwanda, Swaziland, Uganda;
- *Pitta nympha* from Brunei Darussalam, China, North Korea, Indonesia, Japan, Malaysia and South Korea;
- *Pycnonotus zeylanicus* from Malaysia;
- *Charmosyna aureicincta* from Fiji;

- *Trichoglossus johnstoniae*, *Prioniturus luconensis*, *Bubo philippensis*, *Otus fuliginosus*, *Otus longicornis*, *Otus mindorensis* and *Otus mirus* from Philippines;
  - *Agapornis pullarius* from Angola and Kenya;
  - *Amazona agilis* and *Amazona collaris* from Jamaica;
  - *Amazona mercenaria* from Venezuela;
  - *Amazona xanthops* from Bolivia and Paraguay;
  - *Aratinga aurea* from Argentina;
  - *Bolborhynchus ferrugineifrons*, *Hapalopsittaca fuertesi*, *Pyrrhura calliptera* and *Pyrrhura viridicata* from Colombia;
  - *Poicephalus robustus* from Botswana, Gambia, Namibia, Senegal, South Africa and Swaziland;
  - *Psittacula finschii* from Bangladesh and Cambodia;
  - *Psittacus erithacus* from Burundi, Mali and Togo;
  - *Bubo blakistoni* from China, Japan and Russia;
  - *Ninox affinis* from India;
  - *Otus capnodes* and *Otus paulani* from Comoros;
  - *Otus insularis* from Seychelles;
  - *Scotopelia ussheri* from Côte d'Ivoire, Ghana, Guinea, Liberia and Sierra Leone;
  - *Heloderma horridum* from Guatemala and Mexico;
  - *Podocnemis erythrocephala* from Colombia and Venezuela;
  - *Podocnemis expansa* from Colombia, Ecuador, Guyana, Peru, Trinidad and Tobago and Venezuela;
  - *Gopherus polyphemus* from United States;
  - *Manouria emys* from Bangladesh, India, Myanmar and Thailand;
  - *Testudo horsfieldii* from China and Pakistan;
  - *Montipora caliculata* from Tonga.
- (5) The countries of origin of the species which are subject to new restrictions to introduction into the Union pursuant to this Regulation have all been consulted.
- (6) At the 15th Conference of the Parties to the Convention new nomenclatural references (splitting of species and renaming of genus) for animals were adopted and are reflected accordingly in this Regulation.
- (7) The list of species for which the introduction into the Union is suspended should therefore be amended and Regulation (EC) No 359/2009 should be, for reasons of clarity, replaced.
- (8) The measures provided for in this Regulation are in accordance with the opinion of the Committee on Trade in Wild Fauna and Flora,

HAS ADOPTED THIS REGULATION:

#### *Article 1*

Subject to the provisions of Article 71 of Regulation (EC) No 865/2006, the introduction into the Union of specimens of the species of wild fauna and flora listed in the Annex to this Regulation is suspended.

#### *Article 2*

Regulation (EC) No 359/2009 is repealed.

References to the repealed Regulation shall be construed as references to this Regulation.

#### *Article 3*

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 5 November 2010.

For the Commission  
The President  
José Manuel BARROSO

## ANNEX

**Specimens of species included in Annex A to Regulation (EC) No 338/97 whose introduction into the Union is suspended**

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>FAUNA</b>				
CHORDATA				
<b>MAMMALIA</b>				
ARTIODACTYLA				
<b>Bovidae</b>				
<i>Capra falconeri</i>	Wild	Hunting trophies	Uzbekistan	(a)
CARNIVORA				
<b>Canidae</b>				
<i>Canis lupus</i>	Wild	Hunting trophies	Belarus, Kyrgyzstan, Turkey	(a)
<b>Felidae</b>				
<i>Lynx lynx</i>	Wild	Hunting trophies	Azerbaijan	(a)
<b>Ursidae</b>				
<i>Ursus arctos</i>	Wild	Hunting trophies	Canada (British Columbia)	(a)
<i>Ursus thibetanus</i>	Wild	Hunting trophies	Russia	(a)
<b>AVES</b>				
FALCONIFORMES				
<b>Falconidae</b>				
<i>Falco cherrug</i>	Wild	All	Armenia, Bahrain, Iraq, Mauritania, Tajikistan	(a)

**Specimens of species included in Annex B to Regulation (EC) No 338/97 whose introduction into the Union is suspended**

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>FAUNA</b>				
CHORDATA				
<b>MAMMALIA</b>				
ARTIODACTYLA				
<b>Bovidae</b>				
<i>Ovis vignei bocharensis</i>	Wild	All	Uzbekistan	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Saiga borealis</i>	Wild	All	Russia	(b)
<i>Saiga tatarica</i>	Wild	All	Kazakhstan, Russia	(b)
<b>Cervidae</b>				
<i>Cervus elaphus bactrianus</i>	Wild	All	Uzbekistan	(b)
<b>Hippopotamidae</b>				
<i>Hexaprotodon liberiensis</i> (synonym <i>Choeropsis liberiensis</i> )	Wild	All	Guinea, Nigeria	(b)
<i>Hippopotamus amphibius</i>	Wild	All	Gambia, Niger, Nigeria, Sierra Leone, Togo	(b)
<b>Moschidae</b>				
<i>Moschus anhuiensis</i>	Wild	All	China	(b)
<i>Moschus berezovskii</i>	Wild	All	China	(b)
<i>Moschus chrysogaster</i>	Wild	All	China	(b)
<i>Moschus fuscus</i>	Wild	All	China	(b)
<i>Moschus moschiferus</i>	Wild	All	China, Russia	(b)
<b>CARNIVORA</b>				
<b>Eupleridae</b>				
<i>Cryptoprocta ferox</i>	Wild	All	Madagascar	(b)
<b>Felidae</b>				
<i>Panthera leo</i>	Wild	All	Ethiopia	(b)
<i>Profelis aurata</i>	Wild	All	Togo	(b)
<b>Mustelidae</b>				
<i>Hydrictis maculicollis</i>	Wild	All	Tanzania	(b)
<b>Odobenidae</b>				
<i>Odobenus rosmarus</i>	Wild	All	Greenland	(b)
<b>MONOTREMATA</b>				
<b>Tachyglossidae</b>				
<i>Zaglossus bartoni</i>	Wild	All	Indonesia, Papua New Guinea	
<i>Zaglossus bruijni</i>	Wild	All	Indonesia	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>PHOLIDOTA</b>				
<b>Manidae</b>				
<i>Manis temminckii</i>	Wild	All	Democratic Republic of the Congo	(b)
<b>PRIMATES</b>				
<b>Atelidae</b>				
<i>Alouatta guariba</i>	Wild	All	All	(b)
<i>Ateles belzebuth</i>	Wild	All	All	(b)
<i>Ateles fusciceps</i>	Wild	All	All	(b)
<i>Ateles geoffroyi</i>	Wild	All	All	(b)
<i>Ateles hybridus</i>	Wild	All	All	(b)
<i>Lagothrix lagotricha</i>	Wild	All	All	(b)
<i>Lagothrix lugens</i>	Wild	All	All	(b)
<i>Lagothrix poeppigii</i>	Wild	All	All	(b)
<b>Cebidae</b>				
<i>Callithrix geoffroyi</i> (synonym <i>C. jacchus</i> <i>geoffroyi</i> )	Wild	All	Brazil	(b)
<b>Cercopithecidae</b>				
<i>Cercopithecus erythrogaster</i>	Wild	All	All	(b)
<i>Cercopithecus erythrotis</i>	Wild	All	All	(b)
<i>Cercopithecus hamlyni</i>	Wild	All	All	(b)
<i>Cercopithecus mona</i>	Wild	All	Togo	(b)
<i>Cercopithecus petaurista</i>	Wild	All	Togo	(b)
<i>Cercopithecus pogonias</i>	Wild	All	Nigeria	(b)
<i>Cercopithecus preussi</i> (synonym <i>C. lhoesti</i> <i>preussi</i> )	Wild	All	Nigeria	(b)
<i>Colobus vellerosus</i>	Wild	All	Nigeria, Togo	(b)
<i>Lophocebus albigena</i> (synonym <i>Cercocebus</i> <i>albigena</i> )	Wild	All	Nigeria	(b)
<i>Macaca cyclopis</i>	Wild	All	All	(b)
<i>Macaca sylvanus</i>	Wild	All	Algeria, Morocco	(b)
<i>Piliocolobus badius</i> (synonym <i>Colobus badius</i> )	Wild	All	All	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Galagidae</b>				
<i>Euoticus pallidus</i> (synonym <i>Galago elegantulus pallidus</i> )	Wild	All	Nigeria	(b)
<i>Galago matschiei</i> (synonym <i>G. inustus</i> )	Wild	All	Rwanda	(b)
<b>Lorisidae</b>				
<i>Arctocebus calabarensis</i>	Wild	All	Nigeria	(b)
<i>Perodicticus potto</i>	Wild	All	Togo	(b)
<b>Pitheciidae</b>				
<i>Chiropotes chiropotes</i>	Wild	All	Guyana	(b)
<i>Pithecia pithecia</i>	Wild	All	Guyana	(b)
<b>AVES</b>				
ANSERIFORMES				
<b>Anatidae</b>				
<i>Oxyura jamaicensis</i>	All	Live	All	(d)
CICONIIFORMES				
<b>Balaenicipitidae</b>				
<i>Balaeniceps rex</i>	Wild	All	Tanzania	(b)
FALCONIFORMES				
<b>Accipitridae</b>				
<i>Accipiter erythropus</i>	Wild	All	Guinea	(b)
<i>Accipiter melanoleucus</i>	Wild	All	Guinea	(b)
<i>Accipiter ovampensis</i>	Wild	All	Guinea	(b)
<i>Aquila rapax</i>	Wild	All	Guinea	(b)
<i>Aviceda cuculoides</i>	Wild	All	Guinea	(b)
<i>Gyps africanus</i>	Wild	All	Guinea	(b)
<i>Gyps bengalensis</i>	Wild	All	All	(b)
<i>Gyps indicus</i>	Wild	All	All	(b)
<i>Gyps rueppellii</i>	Wild	All	Guinea	(b)
<i>Gyps tenuirostris</i>	Wild	All	All	(b)
<i>Hieraetus ayresii</i>	Wild	All	Cameroon, Guinea, Togo	(b)
<i>Hieraetus spilogaster</i>	Wild	All	Guinea, Togo	(b)
<i>Leucopternis lacernulatus</i>	Wild	All	Brazil	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Lophaetus occipitalis</i>	Wild	All	Guinea	(b)
<i>Macheiramphus alcinus</i>	Wild	All	Guinea	(b)
<i>Polemaetus bellicosus</i>	Wild	All	Cameroon, Guinea, Togo	(b)
<i>Spizaetus africanus</i>	Wild	All	Guinea	(b)
<i>Stephanoaetus coronatus</i>	Wild	All	Côte d'Ivoire, Guinea, Togo	(b)
<i>Torgos tracheliotus</i>	Wild	All	Cameroon, Sudan	(b)
<i>Trigonoceps occipitalis</i>	Wild	All	Côte d'Ivoire, Guinea	(b)
<i>Urotriorchis macrourus</i>	Wild	All	Guinea	(b)
<b>Falconidae</b>				
<i>Falco chicquera</i>	Wild	All	Guinea, Togo	(b)
<b>Sagittariidae</b>				
<i>Sagittarius serpentarius</i>	Wild	All	Cameroon, Guinea, Togo	(b)
<b>GRUIFORMES</b>				
<b>Gruidae</b>				
<i>Balearica pavonina</i>	Wild	All	Guinea, Mali	(b)
<i>Balearica regulorum</i>	Wild	All	Botswana, Burundi, Democratic Republic of the Congo, Kenya, South Africa, Zambia, Zimbabwe	(b)
<i>Bugeranus carunculatus</i>	Wild	All	South Africa, Tanzania	(b)
<b>PSITTACIFORMES</b>				
<b>Loriidae</b>				
<i>Charmosyna diadema</i>	Wild	All	All	(b)
<b>Psittacidae</b>				
<i>Agapornis fischeri</i>	Wild	All	Tanzania	(b)
<i>Agapornis nigrigenis</i>	Wild	All	All	(b)
<i>Agapornis pullarius</i>	Wild	All	Democratic Republic of the Congo, Côte d'Ivoire, Guinea, Mali, Togo	(b)
<i>Amazona autumnalis</i>	Wild	All	Ecuador	(b)
<i>Ara chloropterus</i>	Wild	All	Argentina, Panama	(b)
<i>Ara severus</i>	Wild	All	Guyana	(b)
<i>Aratinga acuticaudata</i>	Wild	All	Uruguay	(b)
<i>Aratinga auricapillus</i>	Wild	All	All	(b)
<i>Coracopsis vasa</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Cyanoliseus patagonus</i>	Wild	All	Chile, Uruguay	(b)
<i>Deroptyus accipitrinus</i>	Wild	All	Peru, Surinam	(b)
<i>Hapalopsittaca amazonina</i>	Wild	All	All	(b)
<i>Hapalopsittaca pyrrhops</i>	Wild	All	All	(b)
<i>Leptosittaca branickii</i>	Wild	All	All	(b)
<i>Poicephalus gulielmi</i>	Wild	All	Cameroon, Côte d'Ivoire, Congo, Guinea	(b)
<i>Poicephalus robustus</i>	Wild	All	Democratic Republic of the Congo, Côte d'Ivoire, Guinea, Mali, Nigeria, Togo, Uganda	(b)
<i>Psittacus erithacus</i>	Wild	All	Benin, Equatorial Guinea, Liberia, Nigeria	(b)
<i>Psittacus erithacus timneh</i>	Wild	All	Guinea, Guinea-Bissau	(b)
<i>Psittrichas fulgidus</i>	Wild	All	All	(b)
<i>Pyrrhura caeruleiceps</i>	Wild	All	Colombia	(b)
<i>Pyrrhura pfrimeri</i>	Wild	All	Brazil	(b)
<i>Pyrrhura subandina</i>	Wild	All	Colombia	(b)
<i>Triclaria malachitacea</i>	Wild	All	Argentina, Brazil	(b)
<b>STRIGIFORMES</b>				
<b>Strigidae</b>				
<i>Asio capensis</i>	Wild	All	Guinea	(b)
<i>Bubo lacteus</i>	Wild	All	Guinea	(b)
<i>Bubo poensis</i>	Wild	All	Guinea	(b)
<i>Glaucidium capense</i>	Wild	All	Rwanda	(b)
<i>Glaucidium perlatum</i>	Wild	All	Cameroon, Guinea	(b)
<i>Ptilopsis leucotis</i>	Wild	All	Guinea	(b)
<i>Scotopelia bouvieri</i>	Wild	All	Cameroon	(b)
<i>Scotopelia peli</i>	Wild	All	Guinea	(b)
<b>REPTILIA</b>				
<b>CROCODYLIA</b>				
<b>Alligatoridae</b>				
<i>Caiman crocodilus</i>	Wild	All	El Salvador, Guatemala, Mexico	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Palaeosuchus trigonatus</i>	Wild	All	Guyana	(b)
<b>Crocodylidae</b>				
<i>Crocodylus niloticus</i>	Wild	All	Madagascar	(b)
SAURIA				
<b>Agamidae</b>				
<i>Uromastyx aegyptia</i>	Source 'F' (1)	All	Egypt	(b)
<i>Uromastyx dispar</i>	Wild	All	Algeria, Mali, Sudan	(b)
<i>Uromastyx geyri</i>	Wild	All	Mali, Niger	(b)
<b>Chamaeleonidae</b>				
<i>Brookesia decaryi</i>	Wild	All	Madagascar	(b)
<i>Calumma ambreense</i>	Wild	All	Madagascar	(b)
<i>Calumma andringitraense</i>	Wild	All	Madagascar	(b)
<i>Calumma boettgeri</i>	Wild	All	Madagascar	(b)
<i>Calumma brevicorne</i>	Wild	All	Madagascar	(b)
<i>Calumma capuronii</i>	Wild	All	Madagascar	(b)
<i>Calumma cucullatum</i>	Wild	All	Madagascar	(b)
<i>Calumma fallax</i>	Wild	All	Madagascar	(b)
<i>Calumma furcifer</i>	Wild	All	Madagascar	(b)
<i>Calumma gallus</i>	Wild	All	Madagascar	(b)
<i>Calumma gastrotaenia</i>	Wild	All	Madagascar	(b)
<i>Calumma glawi</i>	Wild	All	Madagascar	(b)
<i>Calumma globifer</i>	Wild	All	Madagascar	(b)
<i>Calumma guibei</i>	Wild	All	Madagascar	(b)
<i>Calumma guillaumeti</i>	Wild	All	Madagascar	(b)
<i>Calumma hilleniusi</i>	Wild	All	Madagascar	(b)
<i>Calumma linota</i>	Wild	All	Madagascar	(b)
<i>Calumma malthe</i>	Wild	All	Madagascar	(b)
<i>Calumma marojezense</i>	Wild	All	Madagascar	(b)
<i>Calumma nasutum</i>	Wild	All	Madagascar	(b)
<i>Calumma oshaughnessyi</i>	Wild	All	Madagascar	(b)
<i>Calumma parsonii</i>	Wild	All	Madagascar	(b)
<i>Calumma peyrierasi</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Calumma tsaratananense</i>	Wild	All	Madagascar	(b)
<i>Calumma vatosoa</i>	Wild	All	Madagascar	(b)
<i>Calumma vencesi</i>	Wild	All	Madagascar	(b)
<i>Chamaeleo cameronensis</i>	Wild	All	Cameroon	(b)
<i>Chamaeleo deremensis</i>	Wild	All	Tanzania	(b)
<i>Chamaeleo eisentrauti</i>	Wild	All	Cameroon	(b)
<i>Chamaeleo ellioti</i>	Wild	All	Burundi	(b)
<i>Chamaeleo feae</i>	Wild	All	Equatorial Guinea	(b)
<i>Chamaeleo fuelleborni</i>	Wild	All	Tanzania	(b)
<i>Chamaeleo gracilis</i>	Wild	All	Benin	(b)
	Ranched	All	Benin	(b)
	Ranched	Snout to vent length greater than 8 cm	Togo	(b)
<i>Chamaeleo montium</i>	Wild	All	Cameroon	(b)
<i>Chamaeleo pfefferi</i>	Wild	All	Cameroon	(b)
<i>Chamaeleo senegalensis</i>	Ranched	Snout to vent length greater than 6 cm	Togo	(b)
<i>Chamaeleo werneri</i>	Wild	All	Tanzania	(b)
<i>Chamaeleo wiedersheimi</i>	Wild	All	Cameroon	(b)
<i>Furcifer angeli</i>	Wild	All	Madagascar	(b)
<i>Furcifer antimena</i>	Wild	All	Madagascar	(b)
<i>Furcifer balteatus</i>	Wild	All	Madagascar	(b)
<i>Furcifer belalandaensis</i>	Wild	All	Madagascar	(b)
<i>Furcifer bifidus</i>	Wild	All	Madagascar	(b)
<i>Furcifer campani</i>	Wild	All	Madagascar	(b)
<i>Furcifer labordi</i>	Wild	All	Madagascar	(b)
<i>Furcifer minor</i>	Wild	All	Madagascar	(b)
<i>Furcifer monoceras</i>	Wild	All	Madagascar	(b)
<i>Furcifer nicosiai</i>	Wild	All	Madagascar	(b)
<i>Furcifer petteri</i>	Wild	All	Madagascar	(b)
<i>Furcifer rhinoceratus</i>	Wild	All	Madagascar	(b)
<i>Furcifer tuzetae</i>	Wild	All	Madagascar	(b)
<i>Furcifer willsii</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Cordylidae</b>				
<i>Cordylus mossambicus</i>	Wild	All	Mozambique	(b)
<i>Cordylus tropidosternum</i>	Wild	All	Mozambique	(b)
<i>Cordylus vittifer</i>	Wild	All	Mozambique	(b)
<b>Gekkonidae</b>				
<i>Phelsuma abbotti</i>	Wild	All	Madagascar	(b)
<i>Phelsuma antanosy</i>	Wild	All	Madagascar	(b)
<i>Phelsuma barbouri</i>	Wild	All	Madagascar	(b)
<i>Phelsuma berghofi</i>	Wild	All	Madagascar	(b)
<i>Phelsuma breviceps</i>	Wild	All	Madagascar	(b)
<i>Phelsuma comorensis</i>	Wild	All	Comoros	(b)
<i>Phelsuma dubia</i>	Wild	All	Comoros, Madagascar	(b)
<i>Phelsuma flavigularis</i>	Wild	All	Madagascar	(b)
<i>Phelsuma guttata</i>	Wild	All	Madagascar	(b)
<i>Phelsuma hielscheri</i>	Wild	All	Madagascar	(b)
<i>Phelsuma klemmeri</i>	Wild	All	Madagascar	(b)
<i>Phelsuma laticauda</i>	Wild	All	Comoros	(b)
<i>Phelsuma malamakibo</i>	Wild	All	Madagascar	(b)
<i>Phelsuma masohoala</i>	Wild	All	Madagascar	(b)
<i>Phelsuma modesta</i>	Wild	All	Madagascar	(b)
<i>Phelsuma mutabilis</i>	Wild	All	Madagascar	(b)
<i>Phelsuma pronki</i>	Wild	All	Madagascar	(b)
<i>Phelsuma pusilla</i>	Wild	All	Madagascar	(b)
<i>Phelsuma seippi</i>	Wild	All	Madagascar	(b)
<i>Phelsuma serraticauda</i>	Wild	All	Madagascar	(b)
<i>Phelsuma standingi</i>	Wild	All	Madagascar	(b)
<i>Phelsuma v-nigra</i>	Wild	All	Comoros	(b)
<i>Uroplatus ebenaui</i>	Wild	All	Madagascar	(b)
<i>Uroplatus fimbriatus</i>	Wild	All	Madagascar	(b)
<i>Uroplatus guentheri</i>	Wild	All	Madagascar	(b)
<i>Uroplatus henkeli</i>	Wild	All	Madagascar	(b)
<i>Uroplatus lineatus</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Uroplatus malama</i>	Wild	All	Madagascar	(b)
<i>Uroplatus phantasticus</i>	Wild	All	Madagascar	(b)
<i>Uroplatus pietschmanni</i>	Wild	All	Madagascar	(b)
<i>Uroplatus sikorae</i>	Wild	All	Madagascar	(b)
<b>Helodermatidae</b>				
<i>Heloderma suspectum</i>	Wild	All	Mexico, United States	(b)
<b>Iguanidae</b>				
<i>Iguana iguana</i>	Wild	All	El Salvador	(b)
<b>Scincidae</b>				
<i>Corucia zebra</i>	Wild	All	Solomon Islands	(b)
<b>Varanidae</b>				
<i>Varanus beccarii</i>	Wild	All	Indonesia	(b)
<i>Varanus dumerilii</i>	Wild	All	Indonesia	(b)
<i>Varanus exanthematicus</i>	Wild	All	Benin, Togo	(b)
	Ranched	All	Benin	(b)
	Ranched	Greater than 35 cm in length	Togo	(b)
<i>Varanus jobiensis</i> (synonym <i>V. karlschmidti</i> )	Wild	All	Indonesia	(b)
<i>Varanus niloticus</i>	Wild	All	Benin, Burundi, Mozambique, Togo	(b)
	Ranched	All	Benin, Togo	(b)
<i>Varanus ornatus</i>	Wild	All	Togo	(b)
	Ranched	All	Togo	(b)
<i>Varanus salvadorii</i>	Wild	All	Indonesia	(b)
<i>Varanus salvator</i>	Wild	All	China, India, Singapore	(b)
<b>SERPENTES</b>				
<b>Boidae</b>				
<i>Boa constrictor</i>	Wild	All	El Salvador, Honduras	(b)
<i>Calabaria reinhardtii</i>	Wild	All	Togo	(b)
	Ranched	All	Benin, Togo	(b)
<i>Eunectes murinus</i>	Wild	All	Paraguay	(b)
<b>Elapidae</b>				
<i>Naja atra</i>	Wild	All	Laos	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Naja kaouthia</i>	Wild	All	Laos	(b)
<i>Naja siamensis</i>	Wild	All	Laos	(b)
<b>Pythonidae</b>				
<i>Liasis fuscus</i>	Wild	All	Indonesia	(b)
<i>Morelia boeleni</i>	Wild	All	Indonesia	(b)
<i>Python molurus</i>	Wild	All	China	(b)
<i>Python natalensis</i>	Ranched	All	Mozambique	(b)
<i>Python regius</i>	Wild	All	Benin, Guinea	(b)
<i>Python reticulatus</i>	Wild	All	India, Malaysia (Peninsular), Singapore	(b)
<i>Python sebae</i>	Wild	All	Mauritania	(b)
<b>TESTUDINES</b>				
<b>Emydidae</b>				
<i>Chrysemys picta</i>	All	Live	All	(d)
<i>Trachemys scripta elegans</i>	All	Live	All	(d)
<b>Geoemydidae</b>				
<i>Batagur borneoensis</i>	Wild	All	All	(b)
<i>Cuora amboinensis</i>	Wild	All	Indonesia, Malaysia, Vietnam	(b)
<i>Cuora galbinifrons</i>	Wild	All	China, Laos, Vietnam	(b)
<i>Heosemys spinosa</i>	Wild	All	Indonesia	(b)
<i>Leucocephalon yuwonoi</i>	Wild	All	Indonesia	(b)
<i>Malayemys subtrijuga</i>	Wild	All	Indonesia	(b)
<i>Notochelys platynota</i>	Wild	All	Indonesia	(b)
<i>Siebenrockiella crassicollis</i>	Wild	All	Indonesia	(b)
<b>Podocnemididae</b>				
<i>Erymnochelys madagascariensis</i>	Wild	All	Madagascar	(b)
<i>Peltocephalus dumerilianus</i>	Wild	All	Guyana	(b)
<i>Podocnemis lewyana</i>	Wild	All	All	(b)
<i>Podocnemis unifilis</i>	Wild	All	Suriname	(b)
<b>Testudinidae</b>				
<i>Aldabrachelys gigantea</i>	Wild	All	Seychelles	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Chelonoidis denticulata</i>	Wild	All	Bolivia, Ecuador	(b)
<i>Geochelone elegans</i>	Wild	All	Pakistan	(b)
<i>Geochelone platynota</i>	Wild	All	Myanmar	(b)
<i>Geochelone sulcata</i>	Ranched	All	Benin, Togo	(b)
<i>Gopherus agassizii</i>	Wild	All	All	(b)
<i>Gopherus berlandieri</i>	Wild	All	All	(b)
<i>Indotestudo elongata</i>	Wild	All	Bangladesh, China, India	(b)
<i>Indotestudo forstenii</i>	Wild	All	All	(b)
<i>Indotestudo travancorica</i>	Wild	All	All	(b)
<i>Kinixys belliana</i>	Wild	All	Mozambique	(b)
	Ranched	All	Benin	(b)
<i>Kinixys homeana</i>	Wild	All	Benin, Togo	(b)
	Ranched	All	Benin	(b)
<i>Kinixys spekii</i>	Wild	All	Mozambique	(b)
<i>Manouria emys</i>	Wild	All	Indonesia	(b)
<i>Manouria impressa</i>	Wild	All	Vietnam	(b)
<i>Stigmochelys pardalis</i>	Wild	All	Democratic Republic of the Congo, Mozambique, Uganda	(b)
	Ranched	All	Mozambique, Zambia	(b)
	Source 'F' (!)	All	Zambia	(b)
<i>Testudo horsfieldii</i>	Wild	All	Kazakhstan	(b)
<b>Trionychidae</b>				
<i>Amyda cartilaginea</i>	Wild	All	Indonesia	(b)
<i>Chitra chitra</i>	Wild	All	Malaysia	(b)
<i>Pelochelys cantorii</i>	Wild	All	Indonesia	(b)
<b>AMPHIBIA</b>				
<b>ANURA</b>				
<b>Dendrobatidae</b>				
<i>Cryptophyllobates azureiventris</i>	Wild	All	Peru	(b)
<i>Dendrobates variabilis</i>	Wild	All	Peru	(b)
<i>Dendrobates ventrimaculatus</i>	Wild	All	Peru	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>Mantellidae</b>				
<i>Mantella aurantiaca</i>	Wild	All	Madagascar	(b)
<i>Mantella bernhardi</i>	Wild	All	Madagascar	(b)
<i>Mantella crocea</i>	Wild	All	Madagascar	(b)
<i>Mantella expectata</i>	Wild	All	Madagascar	(b)
<i>Mantella milotympanum</i> (syn. <i>M. aurantiaca milotympanum</i> )	Wild	All	Madagascar	(b)
<i>Mantella viridis</i>	Wild	All	Madagascar	(b)
<b>Microhylidae</b>				
<i>Scaphiophryne gottlebei</i>	Wild	All	Madagascar	(b)
<b>Ranidae</b>				
<i>Conraua goliath</i>	Wild	All	Cameroon	(b)
<i>Rana catesbeiana</i>	All	Live	All	(d)
<b>ACTINOPTERYGII</b>				
<b>PERCIFORMES</b>				
<b>Labridae</b>				
<i>Cheilinus undulatus</i>	Wild	All	Indonesia	(b)
<b>SYNGNATHIFORMES</b>				
<b>Syngnathidae</b>				
<i>Hippocampus barbouri</i>	Wild	All	Indonesia	(b)
<i>Hippocampus comes</i>	Wild	All	Indonesia	(b)
<i>Hippocampus histrix</i>	Wild	All	Indonesia	(b)
<i>Hippocampus kelloggi</i>	Wild	All	Indonesia	(b)
<i>Hippocampus kuda</i>	Wild	All	Indonesia, Vietnam	(b)
<i>Hippocampus spinosissimus</i>	Wild	All	Indonesia	(b)
<b>ARTHROPODA</b>				
<b>ARACHNIDA</b>				
<b>ARANEAE</b>				
<b>Theraphosidae</b>				
<i>Brachypelma albopilosum</i>	Wild	All	Nicaragua	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>SCORPIONES</b>				
<b>Scorpionidae</b>				
<i>Pandinus imperator</i>	Ranched	All	Benin	(b)
<b>INSECTA</b>				
<b>LEPIDOPTERA</b>				
<b>Papilionidae</b>				
<i>Ornithoptera croesus</i>	Wild	All	Indonesia	(b)
<i>Ornithoptera urvillianus</i>	Wild	All	Solomon Islands	(b)
	Ranched	All	Solomon Islands	(b)
<i>Ornithoptera victoriae</i>	Wild	All	Solomon Islands	(b)
	Ranched	All	Solomon Islands	(b)
<b>MOLLUSCA</b>				
<b>BIVALVIA</b>				
<b>MESOGASTROPODA</b>				
<b>Strombidae</b>				
<i>Strombus gigas</i>	Wild	All	Grenada, Haiti	(b)
<b>VENEROIDA</b>				
<b>Tridacnidae</b>				
<i>Hippopus hippopus</i>	Wild	All	New Caledonia, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna crocea</i>	Wild	All	Fiji, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna derasa</i>	Wild	All	Fiji, New Caledonia, Philippines, Palau, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna gigas</i>	Wild	All	Fiji, Marshall Islands, Micronesia, Palau, Papua New Guinea, Solomon Islands, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna maxima</i>	Wild	All	Micronesia, Fiji, Marshall Islands, Mozambique, New Caledonia, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna rosewateri</i>	Wild	All	Mozambique	(b)
<i>Tridacna squamosa</i>	Wild	All	Fiji, Mozambique, New Caledonia, Tonga, Vanuatu, Vietnam	(b)
<i>Tridacna tevoroa</i>	Wild	All	Tonga	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<b>CNIDARIA</b>				
<b>HELIOPORACEA</b>				
<b>Helioporidae</b>				
<i>Heliopora coerulea</i>	Wild	All	Solomon Islands	(b)
<b>SCLERACTINIA</b>				
<b>Agariciidae</b>				
<i>Agaricia agaricites</i>	Wild	All	Haiti	(b)
<b>Caryophylliidae</b>				
<i>Catalaphyllia jardinei</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Catalaphyllia jardinei</i>	Wild	All	Solomon Islands	(b)
<i>Euphyllia cristata</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Euphyllia divisa</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Euphyllia fimbriata</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Plerogyra spp.</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>Faviidae</b>				
<i>Favites halicora</i>	Wild	All	Tonga	(b)
<i>Platygyra sinensis</i>	Wild	All	Tonga	(b)
<b>Merulinidae</b>				
<i>Hydnophora microconos</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>Mussidae</b>				
<i>Acanthastrea hemprichii</i>	Wild	All	Tonga	(b)
<i>Blastomussa spp.</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Cynarina lacrymalis</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<i>Scolymia vitiensis</i>	Wild	All	Tonga	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Scolymia vitiensis</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>Pocilloporidae</b>				
<i>Seriatopora stellata</i>	Wild	All	Indonesia	(b)
<b>Trachyphylliidae</b>				
<i>Trachyphyllia geoffroyi</i>	Wild	All	Fiji	(b)
<i>Trachyphyllia geoffroyi</i>	Wild	All except maricultured specimens attached to artificial substrates	Indonesia	(b)
<b>FLORA</b>				
<b>Amaryllidaceae</b>				
<i>Galanthus nivalis</i>	Wild	All	Bosnia and Herzegovina, Switzerland, Ukraine	(b)
<b>Apocynaceae</b>				
<i>Pachypodium inopinatum</i>	Wild	All	Madagascar	(b)
<i>Pachypodium rosulatum</i>	Wild	All	Madagascar	(b)
<i>Pachypodium rutenbergianum</i> ssp. <i>sofiense</i>	Wild	All	Madagascar	(b)
<b>Cycadaceae</b>				
<i>Cycadaceae</i> spp.	Wild	All	Madagascar, Mozambique, Vietnam	(b)
<b>Euphorbiaceae</b>				
<i>Euphorbia ankarensis</i>	Wild	All	Madagascar	(b)
<i>Euphorbia banae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia berorohae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia bongolavensis</i>	Wild	All	Madagascar	(b)
<i>Euphorbia bulbispina</i>	Wild	All	Madagascar	(b)
<i>Euphorbia duranii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia fiananantsoae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia guillauminiana</i>	Wild	All	Madagascar	(b)
<i>Euphorbia iharanae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia kondoi</i>	Wild	All	Madagascar	(b)
<i>Euphorbia labatii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia lophogona</i>	Wild	All	Madagascar	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Euphorbia millotii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia neohumbertii</i>	Wild	All	Madagascar	(b)
<i>Euphorbia pachypodooides</i>	Wild	All	Madagascar	(b)
<i>Euphorbia razafindratsirae</i>	Wild	All	Madagascar	(b)
<i>Euphorbia suzannae-manieri</i>	Wild	All	Madagascar	(b)
<i>Euphorbia waringiae</i>	Wild	All	Madagascar	(b)
<b>Orchidaceae</b>				
<i>Anacamptis pyramidalis</i>	Wild	All	Switzerland, Turkey	(b)
<i>Barlia robertiana</i>	Wild	All	Turkey	(b)
<i>Cephalanthera rubra</i>	Wild	All	Norway	(b)
<i>Cypripedium japonicum</i>	Wild	All	China, North Korea, Japan, South Korea	(b)
<i>Cypripedium macranthos</i>	Wild	All	South Korea, Russia	(b)
<i>Cypripedium margaritaceum</i>	Wild	All	China	(b)
<i>Cypripedium micranthum</i>	Wild	All	China	(b)
<i>Dactylorhiza latifolia</i>	Wild	All	Norway	(b)
<i>Dactylorhiza romana</i>	Wild	All	Turkey	(b)
<i>Dactylorhiza russowii</i>	Wild	All	Norway	(b)
<i>Dactylorhiza traunsteineri</i>	Wild	All	Liechtenstein	(b)
<i>Dendrobium bellatulum</i>	Wild	All	Vietnam	(b)
<i>Dendrobium nobile</i>	Wild	All	Laos	(b)
<i>Dendrobium wardianum</i>	Wild	All	Vietnam	(b)
<i>Himantoglossum hircinum</i>	Wild	All	Switzerland	(b)
<i>Nigritella nigra</i>	Wild	All	Norway	(b)
<i>Ophrys holoserica</i>	Wild	All	Turkey	(b)
<i>Ophrys insectifera</i>	Wild	All	Liechtenstein, Norway	(b)
<i>Ophrys pallida</i>	Wild	All	Algeria	(b)
<i>Ophrys sphegodes</i>	Wild	All	Switzerland	(b)
<i>Ophrys tenthredinifera</i>	Wild	All	Turkey	(b)
<i>Ophrys umbilicata</i>	Wild	All	Turkey	(b)

Species	Source(s) covered	Specimen(s) covered	Countries of origin	Basis in Article 4(6), Point:
<i>Orchis coriophora</i>	Wild	All	Russia, Switzerland	(b)
<i>Orchis italica</i>	Wild	All	Turkey	(b)
<i>Orchis laxiflora</i>	Wild	All	Switzerland	(b)
<i>Orchis mascula</i>	Wild/Ranched	All	Albania	(b)
<i>Orchis morio</i>	Wild	All	Turkey	(b)
<i>Orchis pallens</i>	Wild	All	Russia	(b)
<i>Orchis provincialis</i>	Wild	All	Switzerland	(b)
<i>Orchis punctulata</i>	Wild	All	Turkey	(b)
<i>Orchis purpurea</i>	Wild	All	Switzerland, Turkey	(b)
<i>Orchis simia</i>	Wild	All	Bosnia and Herzegovina, Croatia, former Yugoslav Republic of Macedonia, Switzerland, Turkey	(b)
<i>Orchis tridentata</i>	Wild	All	Turkey	(b)
<i>Orchis ustulata</i>	Wild	All	Russia	(b)
<i>Phalaenopsis parishii</i>	Wild	All	Vietnam	(b)
<i>Serapias cordigera</i>	Wild	All	Turkey	(b)
<i>Serapias parviflora</i>	Wild	All	Turkey	(b)
<i>Serapias vomeracea</i>	Wild	All	Switzerland, Turkey	(b)
<i>Spiranthes spiralis</i>	Wild	All	Liechtenstein, Switzerland	(b)
<b>Primulaceae</b>				
<i>Cyclamen intaminatum</i>	Wild	All	Turkey	(b)
<i>Cyclamen mirabile</i>	Wild	All	Turkey	(b)
<i>Cyclamen pseudibericum</i>	Wild	All	Turkey	(b)
<i>Cyclamen trochopteranthum</i>	Wild	All	Turkey	(b)
<b>Stangeriaceae</b>				
<i>Stangeriaceae</i> spp.	Wild	All	Madagascar, Mozambique, Vietnam	(b)
<b>Zamiaceae</b>				
<i>Zamiaceae</i> spp.	Wild	All	Madagascar, Mozambique, Vietnam	(b)

(<sup>1</sup>) Animals born in captivity but for which the criteria of Chapter XIII of Regulation (EC) No 865/2006 are not met, as well as parts and derivatives thereof.